

Index to volume 9

Author index

A

- Aasted M *see* Staberg et al, 857
 Abel EA *see* Todes-Taylor et al, 526
 Adrian RM *see* Sina and Adrian, 686
 Aeling JL *see* Fitzpatrick et al, 419
 Agnello V, Gell J, Tye MJ: Partial genetic deficiency of the C4 component of complement in discoid lupus erythematosus and urticaria/angioedema, 894
 Ahmed AR: Reply to Savin JA: Corticosteroids and death in pemphigus, 275 (Correspondence)
 Albert DM *see* Koh et al, 696
 — *see* Nordlund et al, 689
 Alper JC *see* Glinick et al, 509
 — *see* Welch et al, 349
 Andre P *see* Ashton et al, 173
 Andreozzi RJ *see* Marks et al, 852
 Apisarnthanarax P *see* Jorizzo et al, 845
 Aram H, Zidenbaum M: Multiple hamartoma syndrome (Cowden's disease), 774 (Correspondence)
 Arlian L *see* Estes et al, 397
 Armstrong D *see* Myskowski et al, 111
 Arons M *see* Stenn et al, 388
 Arrue C *see* Taplin et al, 546
 Ashton RE, Andre P, Lowe NJ, Whitefield M: Anthralin: Historical and current perspectives, 173
 Astarita RW *see* Edens et al, 383
 Auböck J *see* Fritsch et al, 766 (Correspondence)
 Auerbach R *see* Marx et al, 904
 Ayres S Jr: Philodendron vine as a cause of plant dermatitis, 962 (Correspondence)

B

- Bamford JTM: Reply to Cullen SI: Age of patients with tinea versicolor, 465 (Correspondence)
 Banse-Kupin L, Morales A, Kleinsmith D'A: Perforating lichen nitidus, 452
 Baral J: Pruritus ani and *Staphylococcus aureus*, 962 (Correspondence)
 Barnett JH, Estes SA, Wirman JA, Morris RE, Stanek JL: Erysipeloid, 116
 Barr RM *see* Gilchrist et al, 213
 Barsky R *see* Bronson et al, 140
 Barsky S *see* Bronson et al, 140
 Bartlow GA *see* Edens et al, 383
 Bauer EA: Reply to Fritsch P: Retinoid therapy of recessive dystrophic epidermolysis bullosa, 766 (Correspondence)
 Beerman H: Frederick Deforest Weidman, M.D., 479 (Epitaph)
 —: John Hinchman Stokes, M.D., 321 (Epitaph)
 Bergfeld WF *see* Kish et al, 769 (Correspondence)
 Bernacki EG Jr *see* Coskey et al, 747
 Bernhard JD: Invisible dermatoses versus nonrashes, 599 (Correspondence)
 Binazzi M, Calandra P, Lisi P: Cutaneous manifestations of diabetes mellitus, 466 (Correspondence)

July, pp. 1-172; August, pp. 173-334; September, pp. 335-486; October, pp. 487-644; November, pp. 645-814; December, pp. 815-994.

- Biro L, Price E, Brand AJ: Complications of cutaneous surgery, 601 (Correspondence)
 Bishop ER Jr: Monosymptomatic hypochondriacal syndromes in dermatology, 152 (Clinical review)
 Black AK *see* Gilchrist et al, 213
 Black MM *see* Holmes and Black, 961 (Correspondence)
 Bogaars H *see* Glinick et al, 509
 — *see* Welch et al, 349
 Bollag W: The development of retinoids in experimental and clinical oncology and dermatology, 797 (Special article)
 Bonafe J-L *see* Dupre et al, 768 (Correspondence)
 Borok M *see* Strick et al, 437
 Bounameaux Y *see* Wolska et al, 883
 Branch WT Jr, Wintroub BU: Dermatologic training for nondermatologists, 281 (Editorial)
 Brand AJ *see* Biro et al, 601 (Correspondence)
 Brantley JB *see* Mora et al, 606 (Correspondence)
 Bronner AK, Hood AF: Cutaneous complications of chemotherapeutic agents, 645
 Bronson DM, Barsky R, Barsky S: Acrodermatitis enteropathica, 140
 Brown AE *see* Myskowski et al, 111
 Brown JA *see* Glinick et al, 509
 Brown ST *see* Cates et al, 601 (Correspondence)
 Brownstein MH: Hybrid cyst: A combined epidermoid and trichilemmal cyst, 872
 —: Reply to Bernhard JD: Invisible dermatoses versus nonrashes, 599 (Correspondence)
 Brubaker D *see* Tolbert et al, 416
 Brunken RC, Lichon-Chao N, van den Broek H: Immunologic abnormalities in botryomycosis, 428
 Bucks D *see* Yeung et al, 920
 Buntin DM, Skinner RB Jr, Rosenberg EW: Onset of psoriasis at age 108, 276 (Correspondence)
 Burgdorf WHC *see* Tolbert et al, 416
 Burnett JW, Cobbs CS, Kelman SN, Calton GJ: Studies on the serologic response to jellyfish envenomation, 229
 Burrows WM *see* Jennings and Burrows, 733

C

- Calandra P *see* Binazzi et al, 466 (Correspondence)
 Calton GJ *see* Burnett et al, 229
 Camisa C, Sharma MM: Vesiculobullous systemic lupus erythematosus, 924
 Campbell JP, Grekin RC, Ellis CN, Matsuda-John SS, Swanson NA, Voorhees JJ: Retinoid therapy is associated with excess granulation tissue responses, 708
 Campbell-D'Hue G, Estes SA: A Koebner phenomenon in dermatitis herpetiformis, 767 (Correspondence)
 Carney JF *see* Hazen et al, 278 (Correspondence)
 Castrow FF II, Krull EA: Injectable collagen implant—update, 889
 Cates W Jr, Washington AE, Brown ST: Reply to Fiumara NJ: Therapy guidelines for sexually transmitted diseases, 601 (Correspondence)
 Caughman W, Stern R, Haynes H: Neutrophilic dermatosis of myeloproliferative disorders, 751

- Cavallo T *see* Jorizzo et al, 845
 Chalker DK, Shalita A, Smith JG Jr, Swann RW: A double-blind study of the effectiveness of a 3% erythromycin and 5% benzoyl peroxide combination in the treatment of acne vulgaris, 933
 Chavaz P *see* Saurat et al, 163 (Correspondence)
 Chowdhury LN *see* Swerdlow et al, 232
 Clark RA, Rietschel RL: The cost of initiating appropriate therapy for skin diseases: A comparison of dermatologists and family physicians, 787 (Special report)
 Clendenning WE *see* Madison et al, 743
 Cobbs CS *see* Burnett et al, 229
 Comerford M *see* Halprin et al, 164 (Correspondence)
 Coskey RJ: Dermatologic therapy: December, 1981, through November, 1982, 21
 —, Magnell TD, Bernacki EG Jr: Congenital subungual nevus, 747
 Cotterill JA *see* Ryatt et al, 558
 Cowan MJ *see* Williams et al, 97
 Cox AJ *see* Todes-Taylor et al, 526
 Cox GF *see* Lumpkin et al, 899
 Crain WR *see* Zackheim et al, 363
 Cram DL *see* Menter and Cram, 59
 Crone MA *see* Fanselow et al, 714
 Cullen SI: Age of patients with tinea versicolor, 464 (Correspondence)
 Cunningham WJ *see* Shalita et al, 629 (Special article)

D

- Dahl MV *see* Fanselow et al, 714
 Daniels JC *see* Jorizzo et al, 845
 Danno K *see* Horio et al, 77
 Davidson TM *see* Edens et al, 383
 Dawson JB *see* Ryatt et al, 558
 Day CL *see* Rhodes et al, 563
 De Moragas JM *see* Iglesias and De Moragas, 159 (Editorial)
 Deng J-S *see* Sontheimer et al, 335
 De Villez RL, Roberts LC: Reply to Dupre A: Functional familial sebaceous hyperplasia of the face and premature sebaceous gland hyperplasia: A new and unique entity, 769 (Correspondence)
 Dickson ER *see* Powell et al, 540
 Didierjean L *see* Saurat et al, 163 (Correspondence)
 Dinsmore R *see* Myskowski et al, 111
 Dmytryshyn JR: Phenol peels and toxic shock syndrome, 163 (Correspondence)
 Donahue MJ *see* Fine et al, 274 (Correspondence)
 Downing DT *see* Foucar et al, 103
 Drachman D *see* Zaia and Drachman, 912
 Draelos ZK, Levine N: Hyperthermic treatment of cutaneous malignancies, 623 (Special article)
 Duke EE: Reply to Frankel EB: Treatment of delusions of parasitosis, 773 (Correspondence)
 Dupre A, Bonafe J-L, Lamon P: Functional familial sebaceous hyperplasia of the face and premature sebaceous gland hyperplasia: A new and unique entity, 768 (Correspondence)

E

- Edelson RL: Pathogenesis of T cell lymphoma of skin, 957 (Editorial)
 Edens BL, Bartlow GA, Haghighi P, Astarita RW, Davidson TM: Effectiveness of curettage and electrodesiccation in the removal of basal cell carcinoma, 383

- Editor: Reply to Person EB: Skin-related foundations and associations, 604 (Correspondence)
 Edwards F *see* Myskowski et al, 111
 Eisen AZ *see* Santa Cruz et al, 82
 Ellis CN *see* Campbell et al, 708
 — *see* Matsuda-John et al, 269
 Elton RF: Reply to Biro et al: Complications of cutaneous surgery, 602 (Correspondence)
 Epstein EH Jr *see* Zackheim et al, 363
 Epstein JH: Photocarcinogenesis, skin cancer, and aging, 487
 Ersfeld DA *see* Fanselow et al, 714
 —, Kummel B, Arlian L: Experimental canine scabies in humans, 397
 Estes SA *see* Barnett et al, 116
 — *see* Campbell-D'Hue and Estes, 767 (Correspondence)
 Eubanks SW, Patterson JW: Subacute myelomonocytic leukemia—an unusual skin manifestation, 581

F

- Falabella R: Repigmentation of segmental vitiligo by autologous mini-grafting, 514
 —, Pathak MA, Crone MA, Ersfeld DA, Raber PB, Trancik RJ, Dahl MV: Reusable ultraviolet monitors: Design, characteristics, and efficacy, 714
 Fanselow DL *see* Pathak and Fanselow, 724
 Farrell DS *see* Welch et al, 349
 Faure M *see* Thivolet and Faure, 773 (Correspondence)
 Feather JW *see* Ryatt et al, 558
 Felman YM *see* Prose et al, 236
 Feuerman EJ *see* Ingber et al, 393
 — *see* Ingber and Feuerman, 606 (Correspondence)
 Field LM: On the advent of dermatologic plastic surgery, 596 (Editorial)
 Fine J-D, Katz SI, Donahue MJ, Hendricks AA: Psychiatric reaction to dapsone and sulfapyridine, 274 (Correspondence)
 Fitzpatrick JE, Thompson PB, Aeling JL, Huff C: Photosensitive recurrent erythema multiforme, 419
 Fitzpatrick TB *see* Koh et al, 696
 — *see* Rhodes et al, 563
 Fitzsimons CP *see* MacKie and Fitzsimons, 467 (Editorial)
 — *see* MacKie and Fitzsimons, 771 (Correspondence)
 Fiumara NJ: Therapy guidelines for sexually transmitted diseases, 600 (Correspondence)
 Forget BM *see* Nordlund et al, 689
 Foucar E, Downing DT, Gerber WL: Sclerosing lipogranuloma of the male genitalia containing vitamin E: A comparison with classical "paraffinoma," 103
 Frankel EB: Treatment of delusions of parasitosis, 772 (Correspondence)
 Franz TJ: On the bioavailability of topical formulations of clindamycin hydrochloride, 66
 Frensdorff EL *see* Wachtors et al, 204
 Fritsch P, Klein G, Auböck J, Hintner H: Retinoid therapy of recessive dystrophic epidermolysis bullosa, 766 (Correspondence)
 Fritz KA *see* Lee et al, 401
 Fryberger S *see* Heskell et al, 423

G

- Ganor S: Skin cancer in psoriatics treated with nitrogen mustard, 164 (Correspondence)
 Gasiorowski HC *see* Strick et al, 437

- Gell J *see* Agnello et al, 894
Gerber WL *see* Foucar et al, 103
Gilchrist BA, Soter NA, Hawk JLM, Barr RM, Black AK, Hensby CN, Mallet AI, Greaves MW, Parrish JA: Histologic changes associated with ultraviolet A-induced erythema in normal human skin, 213
Gilliam JN *see* Sontheimer et al, 335
Gladstein AH *see* Marx et al, 904
Glinick SE, Alper JC, Bogaars M, Brown JA: Becker's melanosis: Associated abnormalities, 509
Goldgeier MH, Nordlund JJ, Lucky AW: Reproduction of hydroa vacciniforme with UVA, 279 (Correspondence)
Gonzalez EB *see* Jorizzo et al, 845
Gopal R *see* Lynfield et al, 257
Gould WM, Gragg TM: A dermatology-psychiatry liaison clinic, 73
Graham GF: Reply to Biro et al: Complications of cutaneous surgery, 602 (Correspondence)
Granstein RD, Soter NA, Haynes HA: Necrotizing vasculitis within cutaneous lesions of mycosis fungoides, 128
Greaves MW *see* Gilchrist et al, 213
Green K *see* Lynfield et al, 257
Grekin DA *see* Grekin et al, 295
— *see* Zackheim et al, 363
Grekin JL *see* Grekin et al, 295
Grekin RC *see* Campbell et al, 708
Grekin RH, Grekin DA, Grekin JL: Hawaii Dermatology Seminar, Sixth Annual Meeting, Maui, Hawaii, Feb. 5-10, 1983, 295
Grifeo S *see* Maggiore et al, 602 (Correspondence)
Grimwood R, Huff JC, Weston WL: Complement deposition in the skin of patients with herpes-associated erythema multiforme, 199
Guenther LC: Inherited disorders of complement, 815

H

- Haghighi P *see* Edens et al, 383
Halasz C, Leach EE, Walther RR, Poh-Fitzpatrick MB: Reply to Goldgeier MH: Reproduction of hydroa vacciniforme with UVA, 280 (Correspondence)
Halevy S *see* Ingber et al, 393
Hall EH, Terezhalmay GT: Focal dermal hypoplasia syndrome, 443
Halprin KM: PUVA and cutaneous malignancy, 770 (Correspondence)
—, Comerford M, Taylor JR: Reply to Ganor S: Skin cancer in psoriatics treated with nitrogen mustard, 164 (Correspondence)
Hanifin JM *see* Heskell et al, 423
Harrist TJ *see* Rhodes et al, 47, 563
Hart DB: Menkes' syndrome: An updated review, 145 (Clinical review)
Harwell WB: Quinidine-induced psoriasis, 278 (Correspondence)
Hausman R *see* Wachters et al, 204
Hawk JLM *see* Gilchrist et al, 213
Haynes H *see* Caughman et al, 751
Haynes HA *see* Granstein et al, 128
Hazen PG, Carney JF, Walker AE, Stewart JJ: Depression—a side effect of 13-*cis*-retinoic acid therapy, 278 (Correspondence)
Heilman E *see* Prose et al, 236
Helin H *see* Reunala et al, 219
Hendricks AA *see* Fine et al, 274 (Correspondence)
Hensby CN *see* Gilchrist et al, 213

- Heskel NS, White CR, Fryberger S, Neerhout RC, Spraker M, Hanifin JM: Aleukemic leukemia cutis: Juvenile chronic granulocytic leukemia presenting with figurate cutaneous lesions, 423
Hill M *see* Jarratt et al, 354
Hintner H *see* Fritsch et al, 766 (Correspondence)
Holden CA, Sanderson AR, MacDonald DM: Absence of human leukocyte antigen molecules in skin tumors and some cutaneous appendages: Evidence using monoclonal antibodies, 867
Holmes RC, Black MM: Reply to Noguera J: Dermatoses of pregnancy, 961 (Correspondence)
Hood AF *see* Bronner and Hood, 645
Horio T, Danno K, Okamoto H, Miyachi Y, Imamura S: Potassium iodide in erythema nodosum and other erythematous dermatoses, 77
Horning S *see* Rich et al, 279 (Correspondence)
Huff C *see* Fitzpatrick et al, 419
Huff JC *see* Grimwood et al, 199
— *see* Lee et al, 401
Hughes CG: Oral PABA and vitiligo, 770 (Correspondence)
Hurwitz S *see* Stenn et al, 388

I

- Ideses C *see* Ingber et al, 393
Iglesias JL, De Moragas JM: The cutaneous lesions of the Spanish toxic oil syndrome, 159 (Editorial)
Imaeda T *see* Lambert et al, 262
Imamura S *see* Horio et al, 77
Ingber A, Feuerman EJ: Lichen ruber pemphigoides, 606 (Correspondence)
—, Ideses C, Halevy S, Feuerman EJ: Subcorneal pustular dermatosis (Sneddon-Wilkinson disease) after a diagnostic echogram, 393

J

- Jablonska S *see* Wolska et al, 883
James WD, Leyden JJ: Gram-negative folliculitis—recognition and treatment, 165 (Correspondence)
Jarratt M, Hill M, Smiles K: Topical protection against long-wave ultraviolet A, 354
Jeffrey TE Jr: Status of the American Board of Tropical Medicine questioned, 280 (Correspondence)
Jenkins D, Lynde CW, Stewart WD: Histiocytic lymphoma occurring in a patient with dermatitis herpetiformis, 252
Jennings JL: Pyoderma gangrenosum: Successful treatment with intralesional steroids, 575
—, Burrows WM: Infantile acropustulosis, 733
Jordan MC *see* Schwartz et al, 209
Jorizzo JL: Pustular vasculitis: An emerging disease concept, 160 (Editorial)
—, Daniels JC, Apisarnthanarax P, Gonzalez EB, Cavallo T: Histamine-triggered localized vasculitis in patients with seropositive rheumatoid arthritis, 845
— Reply to Miyachi Y: Pustular vasculitis, 774 (Correspondence)

K

- Kalimo K *see* Reunala et al, 219
Kanagawa H, Kotake K, Semma M, Sagami S: Induction of suppressor T cells to dinitrofluorobenzene contact sensitivity by application of sensitizer through Langerhans cell-deficient skin. II. Kinetics of the induction of suppressor T cells, 680

- Kanof NM: Dermatology recorded: This country, this century, 475 (Commentary)
- Kantarjian J: Calcinosus cutis case duplication, 167 (Correspondence)
- Kantor GR, Lookingbill DP: Generalized pruritus and systemic disease, 375
- Katz SI: The current status of investigative dermatology, 777 (Commentary)
- see Fine et al, 274 (Correspondence)
- Kaufman CE Jr see Tolbert et al, 416
- Kavin H see Swerdlow et al, 232
- Kawatsu T see Machino et al, 533
- Keil JE see Shmunes and Keil, 861
- Kelman SN see Burnett et al, 229
- Kida K see Machino et al, 533
- Kiehn T see Myskowski et al, 111
- Kiminski ZC see Lambert et al, 262
- Kirkwood JM see Nordlund et al, 689
- Kish LS, McMahon JT, Bergfeld WF, Pelachyk JM: An ancient method and a modern scourge: The condom as a barrier against herpes, 769 (Correspondence)
- Kitamura K: Kanehito Kitamura, 619 (Contemporaries)
- Klein AW: Implantation techniques for injectable collagen, 224
- Klein G see Fritsch et al, 766 (Correspondence)
- Kleinsmith D'A see Banse-Kupin et al, 452
- Klemp P see Staberg et al, 857
- Koh HK, Sober AJ, Nakagawa H, Albert DM, Mihm MC, Fitzpatrick TB: Malignant melanoma and vitiligo-like leukoderma: An electron microscopic study, 696
- Kopf AW see Marx et al, 904
- Kotake K see Kanagawa et al, 680
- Krull EA see Castrow and Krull, 889
- Kummel B see Estes et al, 397

L

- Lambert WC, Pathan AK, Imaeda T, Kaminski ZC, Reichman LB: Culture of *Vibrio extorquens* form severe, chronic skin ulcers in a Puerto Rican woman, 262
- Lamon P see Dupre et al, 768 (Correspondence)
- Lang PG Jr: Quinidine-induced photodermatitis confirmed by photopatch testing, 124
- , Maize JC: Coexisting lichen planus and bullous pemphigoid or lichen planus pemphigoides? 133
- Leach EE see Halasz et al, 280 (Correspondence)
- Lee LA, Lillis PJ, Fritz KA, Huff JC, Norris DA, Weston WL: Neonatal lupus syndrome in successive pregnancies, 401
- Legrain A see Pierard-Franchimont et al, 669
- Lerner AB see Nordlund et al, 689
- Levine N see Draelos and Levine, 623 (Special article)
- Levy R see Rich et al, 279 (Correspondence)
- Leyden JJ: Reply to Baral J: Pruritus ani and *Staphylococcus aureus*, 962 (Correspondence)
- see James and Leyden, 165 (Correspondence)
- see Shalita et al, 629 (Special article)
- Li H-c: Hung-chiung Li, M.D., M.P.H., 969 (Contemporaries)
- Lichon-Chao N see Brunken et al, 428
- Lillis PJ see Lee et al, 401
- Linder E see Reunala et al, 219
- Lisi P see Binazzi et al, 466 (Correspondence)
- Lookingbill DP see Kantor and Lookingbill, 375
- Lowe NJ see Ashton et al, 173
- Lucky AW see Goldgeier et al, 279 (Correspondence)

- Lumpkin LR III, Cox GF, Wolf JE Jr: Leprosy in five armadillo handlers, 899
- Lund P see Staberg et al, 857
- Lupulescu A see Plotnick and Lupulescu, 876
- Lyell A: The staphylococcal scalded skin syndrome in historical perspective: Emergence of dermopathic strains of *Staphylococcus aureus* and discovery of the epidermolytic toxin, 285 (Special report)
- : Reply to Frankel EB: Treatment of delusions of parasitosis, 773 (Correspondence)
- Lynde CW see Jenkins et al, 252
- Lynfield YL, Green K, Gopal R: Bullous pemphigoid and multiple autoimmune diseases, 257

M

- McCormack LS, Turner MLC: Photosensitivity and isotretinoin therapy, 273 (Correspondence)
- MacDonald DM see Holden et al, 867
- McElgunn PSJ: Reply to Maggiore et al: Erythema nodosum and hepatitis B virus (HBV) infection, 603 (Correspondence)
- see Matsuda-John et al, 269
- Machino H, Miki Y, Kawatsu T, Kida K, Matsuda H: Successful dietary control of tyrosinemia II, 533
- McKay M: Ladies of the Canon, 614 (Whimsy)
- MacKie RM, Fitzsimons CP: Reply to Halprin KM: PUVA and cutaneous malignancy, 771 (Correspondence)
- , —: Risk of carcinogenicity in patients with psoriasis treated with methotrexate or PUVA singly or in combination, 467 (Editorial)
- McMahon JT see Kish et al, 769 (Correspondence)
- McNutt NS see Zackheim et al, 363
- Madison JF, O'Keefe TE, Meier FA, Clendenning WE: Lymphomatoid papulosis terminating as cutaneous T cell lymphoma (mycosis fungoides), 743
- Maggiore G, Grifeo S, Marzani MD: Erythema nodosum and hepatitis B virus (HBV) infection, 602 (Correspondence)
- Magnell TD see Coskey et al, 747
- Maibach HI see Yeung et al, 920
- Maize JC see Lang and Maize, 133
- Mallet AI see Gilchrist et al, 213
- Marks JG Jr, Rainey CM, Rainey MA, Andreozzi EJ: Dermatoses among poultry workers: "Chicken poison disease," 852
- Marx JL, Auerbach R, Possick P, Myrow R, Gladstein AH, Kopf AW: Malignant melanoma in situ in two patients treated with psoralens and ultraviolet A, 904
- Marzani MD see Maggiore et al, 602 (Correspondence)
- Matsuda H see Machino et al, 533
- Matsuda-John SS, McElgunn PSJ, Ellis CN: Nodular late syphilis, 269
- see Campbell et al, 708
- Meier FA see Madison et al, 743
- Meinking T see Taplin et al, 550
- Menter A, Cram DL: The Goeckerman regimen in two psoriasis day care centers, 59
- Merigan TC see Rich et al, 279 (Correspondence)
- Mihm MC see Koh et al, 696
- Mihm MC Jr see Rhodes et al, 563
- Miki Y see Machino et al, 533
- Milton G see Nordlund et al, 689
- Mishra V see Swerdlow et al, 232
- Miyachi Y: Pustular vasculitis, 774 (Correspondence)
- see Horio et al, 77

Morbacken H: Allergic dermatitis to Loctite and Sta-Lok, 165 (Correspondence)
Mohs FE: Frederic E. Mohs, M.D., 806 (Contemporaries)
Montaz-T K *see* Rhodes et al, 47
Mora RG, Nesbitt LT Jr, Brantley JB: Reply to Ingber A and Feuerman EJ: Lichen ruber pemphigoides, 606 (Correspondence)
Morales A *see* Banse-Kupin et al, 452
Morison WL, Strickland PT: Environmental UVA radiation and eye protection during PUVA therapy, 522
Morris RE *see* Barnett et al, 116
Myrow R *see* Marx et al, 904
Myskowski PL, Brown AE, Dinsmore R, Kiehn T, Edwards F, Wong B, Safai B, Armstrong D: Mucormycosis following bone marrow transplantation, 111

N

Nacht S *see* Yeung et al, 920
Nadji M *see* Spiegel et al, 360
Nakagawa H *see* Koh et al, 696
Neerhout RC *see* Heskell et al, 423
Nesbitt LT Jr *see* Mora et al, 606 (Correspondence)
Noguera J: Dermatoses of pregnancy, 961 (Correspondence)
Nordlund JJ, Kirkwood JM, Forget BM, Milton G, Albert DM, Lerner AB: Vitiligo in patients with metastatic melanoma: A good prognostic sign, 689
— *see* Goldgeier et al, 279 (Correspondence)
Norris DA *see* Lee et al, 401

O

Okamoto H *see* Horio et al, 77
O'Keefe EJ *see* Shumer and O'Keefe, 91
O'Keefe TE *see* Madison et al, 743

P

Packman S *see* Williams et al, 97
Pariser RJ: Histologically specific skin lesions in disseminated cytomegalovirus infection, 937
Parrish JA *see* Gilchrist et al, 213
Pascher F: George Miller MacKee (1878-1955): A memoir, 168 (Epitaph)
Pasternack A *see* Reunala et al, 219
Pathak MA, Faselow DL: Photobiology of melanin pigmentation: Dose/response of skin to sunlight and its contents, 724
— *see* Faselow et al, 714
Pathan AK *see* Lambert et al, 262
Patterson JW: What's new in dermatopathology? 585 (Dermatopathology)
— *see* Eubanks and Patterson, 581
Pelachyk JM *see* Kish et al, 769 (Correspondence)
Penneys NS *see* Spiegel et al, 360
Person EB: Skin-related foundations and associations, 603 (Correspondence)
Pierard GE *see* Pierard-Franchimont et al, 669
Pierard-Franchimont C, Legrain A, Pierard GE: Growth and regression of molluscum contagiosum, 669
Plotnick H, Lupulescu A: Ultrastructural studies of xeroderma pigmentosum, 876
Pochi PE *see* Shalita et al, 629 (Special article)
Poh-Fitzpatrick MB *see* Halasz et al, 280 (Correspondence)
Possick P *see* Marx et al, 904
Potter RA: Pathogenesis of psoriasis, 275 (Correspondence)

Powell FC, Rogers RS III, Dickson ER: Primary biliary cirrhosis and lichen planus, 540
Prestia AE: Topical benzoyl peroxide for the treatment of tinea versicolor, 277 (Correspondence)
Price E *see* Biro et al, 601 (Correspondence)
Prioleau PG *see* Santa Cruz et al, 82
Prose NS, Heilman E, Felman YM, Tanzer F, Silber J: Multiple benign juvenile melanoma, 236
Przybilla B: Allergic contact dermatitis to tromantidine, 165 (Correspondence)

R

Raber PB *see* Faselow et al, 714
Rainey CM *see* Marks et al, 852
Rainey MA *see* Marks et al, 852
Rapaport M: Irritant contact dermatitis to glyceryl monothioglycolate, 739
Rasmussen JE *see* Stoner and Rasmussen, 1
Reichman LB *see* Lambert et al, 262
Reno D *see* Taplin et al, 550
Reunala T, Helin H, Pasternack A, Linder E, Kalimo K: Renal involvement and circulating immune complexes in dermatitis herpetiformis, 219
Rhodes AR, Harrist TJ, Day CL, Mihm MC Jr, Fitzpatrick TB, Sober AJ: Dysplastic melanocytic nevi in histologic association with 234 primary cutaneous melanomas, 563
—, —, Montaz-T K: The PUVA-induced pigmented macule: A lentiginous proliferation of large, sometimes cytologically atypical, melanocytes, 47
Rhodes NR *see* Straatmeyer and Rhodes, 434
Rich L, Levy R, Homing S, Merigan TC: Stanford study of Sézary syndrome, 279 (Correspondence)
Richards RN: Dermatologic manpower and patient availability, 167 (Correspondence)
Rietschel RL *see* Clark and Rietschel, 787 (Special report)
Rivera A *see* Taplin et al, 546, 550
Roberts LC *see* De Villez and Roberts, 769 (Correspondence)
Rogers RS III *see* Powell et al, 540
Rosenberg EW *see* Buntin et al, 276 (Correspondence)
— *see* Taplin et al, 546, 550
Rubenstein DJ *see* Schwartz et al, 209
Ryatt KS, Feather JW, Dawson JB, Cotterill JA: The usefulness of reflectance spectrophotometric measurements during psoralens and ultraviolet A therapy for psoriasis, 558

S

Safai B *see* Myskowski et al, 111
Sagami S *see* Kanagawa et al, 680
Sammons JH: The eighties—decade of challenges, 283 (Editorial)
Sanders CV *see* Wickboldt and Sanders, 243 (Clinical review)
Sanderson AR *see* Holden et al, 867
Santa Cruz DJ, Uitto J, Eisen AZ, Prioleau PG: Verrucous lupus erythematosus: Ultrastructural studies on a distinct variant of chronic discoid lupus erythematosus, 82
Saurat J-H, Chavaz P, Didierjean L, Schaefer B: Bullous eruption of systemic lupus erythematosus: "Herpetiform pemphigus," 163 (Correspondence)
Savin JA: Corticosteroids and death in pemphigus, 275 (Correspondence)
Schaefer B *see* Saurat et al, 163 (Correspondence)
Schwartz RA, Jordan MC, Rubenstein DJ: Bullous chickenpox, 209
Sebben JE: Electrosurgery and cardiac pacemakers, 457 (Dermatologic surgery)

- : Surgical antisepsis, 759 (Dermatologic surgery)
- Semma M *see* Kanagawa et al, 680
- Shalita A, *see* Chalker et al, 933
- Shalita AR, Cunningham WJ, Leyden JJ, Pochi PE, Strauss JS: Isotretinoin treatment of acne and related disorders: An update, 629 (Special article)
- Sharma HM *see* Camisa and Sharma, 924
- Sharma OP: Robert Willan remembered, 971 (Epitaph)
- Shelley ED *see* Shelley and Shelley, 673
- Shelley WB, Shelley ED: Scanning electron microscopy of the scabies burrow and its contents, with special reference to the *Sarcoptes scabiei* egg, 673
- Shmunes E, Keil JE: Occupational dermatoses in South Carolina: A descriptive analysis of cost variables, 861
- Shore RN: Usefulness of ampicillin in treatment of acne vulgaris, 604 (Correspondence)
- Shumer SM, O'Keefe EJ: Bleomycin in the treatment of recalcitrant warts, 91
- Silber J *see* Prose et al, 236
- Sina B, Adrian RM: Multiple keratoacanthomas possibly induced by psoralens and ultraviolet A photochemotherapy, 686
- Skinner RB Jr *see* Buntin et al, 276 (Correspondence)
- Smiles K *see* Jarratt et al, 354
- Smith EB: The Sir James Saunders Society, 613 (Whimsy)
- Smith JG Jr *see* Chalker et al, 933
- Smith RG *see* Wilkerson et al, 554
- Sober AJ *see* Koh et al, 696
- *see* Rhodes et al, 563
- Sonthimer RD, Deng J-S, Gilliam JN: Antinuclear and anticytoplasmic antibodies, 335
- Soter NA *see* Gilchrist et al, 213
- *see* Granstein et al, 128
- Spiegel J, Nadji M, Penneys NS: Fibrous papule: An immunohistochemical study with an antibody to S-100 protein, 360
- Spiller RF *see* Spiller and Spiller, 464 (Correspondence)
- Spiller WF, Spiller RF: Giemsa stain for Tzanck smear, 464 (Correspondence)
- Spraker M *see* Heskell et al, 423
- Staberg B, Klemp P, Aasted M, Worm A-M, Lund P: Lymphatic albumin clearance from psoriatic skin, 857
- Staneck JL *see* Barnett et al, 116
- Stead EA Jr: Organization of departments and divisions of dermatology in a time of change, 785 (Editorial)
- Stenn KS, Arons M, Hurwitz S: Patterns of congenital nevocellular nevi, 388
- Stern R *see* Caughman et al, 751
- Stewart JJ *see* Hazen et al, 278 (Correspondence)
- Stewart WD *see* Jenkins et al, 252
- Stoner JG, Rasmussen JE: Plant dermatitis, 1
- Straatmeyer AJ, Rhodes NR: Condylomata acuminata: Results of treatment using hypnosis, 434
- Strauss JS *see* Shalita et al, 629 (Special article)
- Strick RA, Borok M, Gasiowski HC: Recurrent cutaneous leishmaniasis, 437
- Strickland PT *see* Morison and Strickland, 522
- Sutton JD: Overdose of isotretinoin, 600 (Correspondence)
- Swann RW *see* Chalker et al, 933
- Swanson NA *see* Campbell et al, 708
- Swerdlow MA, Chowdhury LN, Mishra V, Kavin H: IgA deposits in skin in alcoholic liver disease, 232
- Tanzer F *see* Prose et al, 236
- Taplin D, Arrue C, Walker JG, Roth WI, Rivera A: Eradication of scabies with a single treatment schedule, 546
- , Rivera A, Walker JG, Roth WI, Reno D, Meinking T: A comparative trial of three treatment schedules for the eradication of scabies, 550
- Taylor JR *see* Halprin et al, 164 (Correspondence)
- Terezhalmay GT *see* Hall and Terezhalmay, 443
- Thiers BH: Articles of interest to dermatologists selected from the nondermatologic literature, 307
- : Westwood Carolina Conference on Clinical Dermatology, Fifth Annual Conference, Hilton Head, SC, Oct. 14-17, 1982, 470
- : Westwood Conference on Clinical Dermatology, Seventh Annual Conference, Toronto, Ontario, Canada, July 29-Aug. 1, 1982, 608
- Thivolet J, Faure M: Thymopoietin pentapeptide treatment of sarcoidosis, 773 (Correspondence)
- Thompson PB *see* Fitzpatrick et al, 419
- Todes-Taylor N, Abel EA, Cox AJ: The occurrence of vitiligo after psoralens and ultraviolet A therapy, 526
- Tolbert B, Kaufman CE Jr, Burgdorf WHC, Brubaker D: Graft-versus-host disease from leukocyte transfusions, 416
- Trancik RJ *see* Faselow et al, 714
- Turner MLC *see* McCormack and Turner, 273 (Correspondence)
- Tye MJ *see* Agnello et al, 894
- Uitto J *see* Santa Cruz et al, 82
- van den Broek H *see* Brunken et al, 428
- van Dijk E *see* Wachters et al, 204
- Vickers HR: Dr. Marion Sulzberger, 166 (Correspondence)
- Voorhees JJ *see* Campbell et al, 708
- Wachters DHJ, Frensdorf EL, Nausman R, van Dijk E: Keratosis palmoplantaris nummularis ("hereditary painful callosities"), 204
- Walker AE *see* Hazen et al, 278 (Correspondence)
- Walker JG *see* Taplin et al, 546, 550
- Walther RR *see* Halasz et al, 280 (Correspondence)
- Washington AE *see* Cates et al, 601 (Correspondence)
- Weaver JE: Sensitization potentials of D & C Yellow No. 10 and D & C Yellow No. 11 dyes, 605 (Correspondence)
- Welch EA, Alper JC, Bogaars H, Farrell DS: Treatment of bullous mastocytosis with disodium cromoglycate, 349
- Weston WL *see* Grimwood et al, 199
- *see* Lee et al, 401
- Wheeland RG: Reply to Spiller WF, Spiller RF: Giemsa stain for Tzanck smear, 464 (Correspondence)
- White CR *see* Heskell et al, 423
- Whitefield M *see* Ashton et al, 173
- Wickboldt LG, Sanders CV: *Vibrio vulnificus* infection, 243 (Clinical review)
- Wilkerson MG, Wilkin JK, Smith RG: Contaminants of dinitrochlorobenzene, 554
- Wilkin JK *see* Wilkerson et al, 554

- Williams ML, Packman S, Cowan MJ: Alopecia and periorificial dermatitis in biotin-responsive multiple carboxylase deficiency, 97
Wintroub BU *see* Branch and Wintroub, 281 (Editorial)
Wirman JA *see* Barnett et al, 116
Wolf JE Jr *see* Lumpkin et al, 899
Wolska H, Jablonska S, Bounameaux Y: Etretnate in severe psoriasis, 883
Wong B *see* Myskowski et al, 111
Worm A-M *see* Staberg et al, 857

Y

- Yeung D, Nacht S, Bucks D, Maibach HI: Benzoyl peroxide: Percutaneous penetration and metabolic disposition. II. Effect of concentration, 920

Z

- Zacarian SA: Cryosurgery of cutaneous carcinomas, 947 (Dermatologic surgery)
Zackheim HS, Epstein EH Jr, McNutt NS, Grekin DA, Crain WR: Topical carmustine (BCNU) for mycosis fungoides and related disorders: A 10-year experience, 363
Zaias N, Drachman D: A method for the determination of drug effectiveness in onychomycosis, 912
Zidenbaum M *see* Aram and Zidenbaum, 774 (Correspondence)
Zitelli JA: Wound healing by secondary intention, 407 (Clinical review)

Subject index

A

- Abnormalities, associated with Becker's melanosis (Glinick et al), 509
- Acne and related disorders, isotretinoin treatment of: update (Shalita et al), 629 (Special article)
 - treatment of, possible relationship between clindamycin bioavailability and clinical efficacy in (Franz), 66
 - vulgaris, double-blind study of effectiveness of 3% erythromycin and 5% benzoyl peroxide combination in treatment of (Chalker et al), 933
 - usefulness of ampicillin in treatment of (Shore), 604 (Correspondence)
- Acrodermatitis enteropathica (Bronson et al), 140
- Acropustulosis, infantile (Jennings and Burrows), 733
- Aging, photocarcinogenesis, and skin cancer (Epstein), 487
- Albumin clearance, lymphatic, from psoriatic skin (Staberg et al), 857
- Alcoholic liver disease, IgA deposits in skin in (Swerdlow et al), 232
- Allergic contact dermatitis to tromantidine (Przybilla), 165 (Correspondence)
 - dermatitis to Loctite and Sta-Lok (Mobacken), 165 (Correspondence)
- Alopecia areata, dinitrochlorobenzene used in treatment of (Wilkinson et al), 554
 - and periorificial dermatitis in biotin-responsive multiple carboxylase deficiency (Williams et al), 97
- American Board of Tropical Medicine questioned, status of (Jeffry), 280 (Correspondence)
- Ampicillin, usefulness of, in treatment of acne vulgaris (Shore), 604 (Correspondence)
- Angioedema, hereditary; inherited disorders of complement (Guenther et al), 815

Angioedema—cont'd

- /urticaria, partial genetic deficiency of C4 component of complement in discoid lupus erythematosus and (Agnello et al), 894
- Anthrax: historical and current perspectives (Ashton et al), 173
- Antibodies, antinuclear and anticytoplasmic (Sontheimer et al), 335
 - monoclonal, evidence using: absence of human leukocyte antigen molecules in skin tumors and some cutaneous appendages (Holden et al), 867
- Anticytoplasmic and antinuclear antibodies (Sontheimer et al), 335
- Antigen molecules, human leukocyte, absence of, in skin tumors and some cutaneous appendages: evidence using monoclonal antibodies (Holden et al), 867
- Antinuclear and anticytoplasmic antibodies (Sontheimer et al), 335
- Antiseptics, surgical (Sebben), 759 (Dermatologic surgery)
- Armado handlers, leprosy in five (Lumpkin et al), 899
- Arthritis, seropositive rheumatoid, histamine-triggered localized vasculitis in patients with (Jorizzo et al), 845
- Autoimmune diseases, multiple, bullous pemphigoid and (Lynfield et al), 257

B

- Basal cell carcinoma, effectiveness of curettage and electrodesiccation in (Edens et al), 383
- Becker's melanosis: associated abnormalities (Glinick et al), 509
- Benzoyl peroxide, 5%, and 3% erythromycin combination, double-blind study of effectiveness of, in treatment of acne vulgaris (Chalker et al), 933
 - percutaneous penetration and metabolic disposition; effect of concentration (Yeung et al), 920
 - topical, for treatment of tinea versicolor (Prestia), 277 (Correspondence)
- Bibliography, annotated, for dermatologists (Thiers), 307
- Biliary cirrhosis, primary, and lichen planus (Powell et al), 540
- Biotin-responsive multiple carboxylase deficiency, alopecia and periorificial dermatitis in (Williams et al), 97

July, pp. 1-172; August, pp. 173-334; September, pp. 335-486; October, pp. 487-644; November, pp. 645-814; December, pp. 815-994.

Bleomycin in treatment of recalcitrant warts (Shumer and O'Keefe), 91

Bone marrow transplantation, mucormycosis following (Myskowski et al), 111

Book reviews, 299, 474, 639, 963

Botryomycosis, immunologic abnormalities in (Brunken et al), 428

Bromosis, delusions of; monosymptomatic hypochondriasis (Bishop), 152 (Clinical review)

Bullous chickenpox (Schwartz et al), 209

eruption of systemic lupus erythematosus: "herpetiform pemphigus" (Saurat et al), 163 (Correspondence)

mastocytosis, treatment of, with disodium cromoglycate (Welch et al), 349

pemphigoid and coexisting lichen planus or lichen planus pemphigoides? (Lang and Maize), 133

and multiple autoimmune diseases (Lynfield et al), 257

C

Calcinosis cutis case duplication (Kantarjian) 167 (Correspondence)

"Callosities, hereditary painful"; keratosis palmoplantaris nummularis (Wachters et al), 204

Cancer, skin, photocarcinogenesis, and aging (Epstein), 487

in psoriasis treated with nitrogen mustard (Ganor), 164 (Correspondence)

reply (Halprin et al), 164 (Correspondence)

Canine scabies, experimental, in humans (Estes et al), 397

Canon, Ladies of (McKay), 614 (Whimsy)

Carboxylase deficiency, biotin-responsive multiple, alopecia and periorificial dermatitis in (Williams et al), 97

Carcinogenicity, risk of, in patients with psoriasis treated with methotrexate or PUVA singly or in combination (MacKie and Fitzsimons), 467 (Editorial)

Carcinoma(s), basal cell, effectiveness of curettage and electrodesiccation in removal of (Edens et al), 383

cutaneous, cryosurgery of (Zacarian), 947 (Dermatologic surgery)

Cardiac pacemakers, electrosurgery and (Sebben), 457 (Dermatologic surgery)

Carbimazole, topical (BCNU) for mycosis fungoides and related disorders: 10-year experience (Zackheim et al), 363

Chemotherapeutic agents, cutaneous complications of (Bronner and Hood), 645

"Chicken poison disease": dermatoses among poultry workers (Marks et al), 852

Chickenpox, bullous (Schwartz et al), 209

Cirrhosis, primary biliary, and lichen planus (Powell et al), 540

Clindamycin hydrochloride, bioavailability of topical formulations of (Franz), 66

Clinical Dermatology, Westwood Carolina Conference on, Fifth Annual Conference, Hilton Head, SC, Oct. 14-17, 1982 (Thiers), 470

oncology and dermatology, experimental, development of retinoids in (Bollag), 797 (Special article)

Collagen implant, injectable—update (Castrow and Krull), 889

injectable, implantation techniques for (Klein), 224

Complement deposition in skin of patients with herpes-associated erythema multiforme (Grimwood et al), 199

inherited disorders of (Guenther), 815

partial genetic deficiency of C4 component of, in discoid lupus erythematosus and urticaria/angioedema (Agnello et al), 894

Complications, cutaneous, of chemotherapeutic agents (Bronner and Hood), 645

Condom as barrier against herpes; ancient method and modern scourge (Kish et al), 769 (Correspondence)

Condylomata acuminata: results of treatment using hypnosis (Straatmeyer and Rhodes), 434

Congenital nevocellular nevi, patterns of (Stenn et al), 388

subungual nevus (Coskey et al), 747

Contact dermatitis, allergic, to tromantadine (Przybilla), 165 (Correspondence)

irritant, to glyceryl monothioglycolate (Rapaport), 739

sensitivity, dinitrofluorobenzene, induction of suppressor T cells to, by application of sensitizer through Langerhans cell-deficient skin; kinetics of induction of suppressor T cells (Kanagawa et al), 680

Contaminants of dinitrochlorobenzene (Wilkerson et al), 554

Contemporaries, 619, 806, 969

Continuing medical education examination, 17, 194, 344, 504, 664, 840

answers, 16, 193, 346, 503, 666, 842

Copper and metallothionein, abnormalities in metabolism of (Hart), 145 (Clinical review)

Corticosteroids and death in pemphigus (Savin), 275 (Correspondence)

reply (Ahmed), 275 (Correspondence)

Cost variables, descriptive analysis of; occupational dermatoses in South Carolina (Shmunes and Keil), 861

Cowden's disease (Aram and Zidenbaum), 774 (Correspondence)

Cryosurgery of cutaneous carcinomas (Zacarian), 947 (Dermatologic surgery)

Curettage and electrodesiccation, effectiveness of, in removal of basal cell carcinoma (Edens et al), 383

Cutaneous carcinomas, cryosurgery of (Zacarian), 947 (Dermatologic surgery)

complications of chemotherapeutic agents (Bronner and Hood), 645

leishmaniasis, recurrent (Strick et al), 437

lesions, figurate, juvenile chronic granulocytic leukemia presenting with; aleukemic leukemia cutis (Heskel et al), 423

of Spanish toxic oil syndrome (Iglesias and De Moragas), 159 (Editorial)

malignancy, hyperthermic treatment of (Draeos and Levine), 623 (Special article)

PUVA and (Halprin), 770 (Correspondence)

reply (MacKie and Fitzsimons), 771 (Correspondence)

manifestations of diabetes mellitus (Binazzi et al), 466 (Correspondence)

melanomas, 234 primary, dysplastic melanocytic nevi in histologic association with (Rhodes et al), 563

surgery, complications of (Biro et al), 601 (Correspondence)

replies (Graham; Elton), 602 (Correspondence)

T cell lymphoma (mycosis fungoides), lymphomatoid papulosis terminating as (Madison et al), 743

Cyst, hybrid; combined epidermoid and trichilemmal cyst (Brownstein), 872

Cytomegalovirus infection, disseminated, histologically specific skin lesions in (Pariser), 937

D

D & C Yellow No. 10 and D & C Yellow No. 11 dyes, sensitization potentials of (Weaver), 605 (Correspondence)

Dapsone and sulfapyridine, psychiatric reaction to (Fine et al), 274 (Correspondence)

- Deficiency, partial genetic, of C4 component of complement in discoid lupus erythematosus and urticaria/angioedema (Agnello et al), 894
- Delusions of parasitosis, treatment of (Frankel), 772 (Correspondence)
replies (Lyell; Duke), 773 (Correspondence)
- Departments and divisions of dermatology, organization of, in time of change (Stead), 785 (Editorial)
- Depression—side effect of 13-*cis*-retinoic acid therapy (Hazen et al), 278 (Correspondence)
- Dermal hypoplasia syndrome, focal (Hall and Terezhalmay), 443
- Dermatitis, allergic, to Loctite and Sta-Lok (Möbacken), 165 (Correspondence)
herpetiformis, histiocytic lymphoma occurring in patient with (Jenkins et al), 252
histologic resemblance to, of vesiculobullous eruptions on sun-exposed areas (Camisa and Sharma), 924
Koebner phenomenon in (Campbell-D'Hue and Estes), 767 (Correspondence)
renal involvement and circulating immune complexes in (Reunala et al), 219
irritant contact, to glyceryl monothioglycolate (Rapaport), 739
periorificial, alopecia and, in biotin-responsive multiple carboxyl deficiency (Williams et al), 97
plant (Stoner and Rasmussen), 1
philodendron vine as cause of (Ayres), 962 (Correspondence)
- Dermatologic manpower and patient availability (Richards), 167 (Correspondence)
plastic surgery, advent of (Field), 596 (Editorial)
therapy: December, 1981, through November, 1982 (Coskey), 21
training for nondermatologists (Branch and Wintroub), 281 (Editorial)
- Dermatologists, annotated bibliography for (Thiers), 307
and family physicians, comparison of; cost of initiating appropriate therapy for skin diseases (Clark and Rietschel), 787 (Special report)
- Dermatology, Clinical, Westwood Carolina Conference on, Fifth Annual Conference, Hilton Head, SC, Oct. 14-17, 1982 (Thiers), 470
investigative, current status of (Katz), 777 (Commentary)
monosymptomatic hypochondriacal syndromes in (Bishop), 152 (Clinical review)
and oncology, experimental and clinical, development of retinoids in (Bollag), 797 (Special article)
organization of departments and divisions of, in time of change (Stead), 785 (Editorial)
-psychiatry liaison clinic (Gould and Gragg), 73
recorded: this country, this century (Kanof), 475 (Commentary)
- Dermatopathology, what's new in? (Patterson) 585 (Dermatopathology)
- Dermatosis(es) among poultry workers: "chicken poison disease" (Marks et al), 852
invisible, versus nonrashes (Bernhard), 599 (Correspondence)
reply (Brownstein), 599 (Correspondence)
neutrophilic, of myeloproliferative disorders (Caughman et al), 751
occupational, in South Carolina: descriptive analysis of cost variables (Shmunes and Keil), 861
other erythematous, potassium iodide in erythema nodosum and (Horio et al), 77
of pregnancy (Noguera), 961 (Correspondence)
reply (Holmes and Black), 961 (Correspondence)
subcorneal pustular (Sneddon-Wilkinson disease) after diagnostic echogram (Ingber et al), 393
- Diabetes mellitus, cutaneous manifestations of (Binazzi et al), 466 (Correspondence)
- Dietary control, successful, of tyrosinemia II (Machino et al), 533
- Dinitrochlorobenzene, contaminants of (Wilkerson et al), 554
- Dinitrofluorobenzene contact sensitivity, induction of suppressor T cells to, by application of sensitizer through Langerhans cell-deficient skin: kinetics of induction of suppressor T cells (Kanagawa et al), 680
- Discoid lupus erythematosus, chronic, ultrastructural studies on distinct variant of; verrucous lupus erythematosus (Santa Cruz et al), 82
and urticaria/angioedema, partial genetic deficiency of C4 component of complement in (Agnello et al), 894
- Disease(s), sexually transmitted, therapy guidelines for (Fiumara), 600 (Correspondence)
reply (Cates et al), 601 (Correspondence)
skin, cost of initiating appropriate therapy for; comparison of dermatologists and family physicians (Clark and Rietschel), 787 (Special report)
systemic, generalized pruritus and (Kantor and Lookingbill), 375
- Disodium cromoglycate, treatment of bullous mastocytosis with (Welch et al), 349
- Drug effectiveness in onychomycosis, method for determination of (Zaia and Drachman), 912
- Dyes, D & C Yellow No. 10 and D & C Yellow No. 11, sensitization potentials of (Weaver), 605 (Correspondence)
- Dysmorphosis, delusions of; monosymptomatic hypochondriasis (Bishop), 152 (Clinical review)
- Dysplastic melanocytic nevi in histologic association with 234 primary cutaneous melanomas (Rhodes et al), 563

E

- Echogram, diagnostic, subcorneal pustular dermatosis (Sneddon-Wilkinson disease) after (Ingber et al), 393
- Eighties—decade of challenges (Sammons), 283 (Editorial)
- Electrodesiccation and curettage, effectiveness of, in removal of basal cell carcinoma (Edens et al), 383
- Electron microscopic study; malignant melanoma and vitiligo-like leukoderma (Koh et al), 696
microscopy, scanning, of scabies burrow and contents, with special reference to *Sarcoptes scabiei* egg (Shelley and Shelley), 673
- Electrosurgery and cardiac pacemakers (Sebben), 457 (Dermatologic surgery)
- Envenomation, jellyfish, studies on serologic response to (Burnett et al), 229
- Environmental UVA radiation and eye protection during PUVA therapy (Morison and Strickland), 522
- Enzyme systems, effect of anthralin on, in treatment of psoriasis (Ashton et al), 173
- Epidermoid and trichilemmal cyst, combined; hybrid cyst (Brownstein), 872
- Epidermolysis bullosa, recessive dystrophic, retinoid therapy of (Fritsch et al), 766 (Correspondence)
reply (Bauer), 766 (Correspondence)
- Epidermolytic toxin, emergence of dermopathic strains of *Staphylococcus aureus* and discovery of; staphylococcal scalded skin syndrome in historical perspective (Lyell), 285 (Special report)
- Epitaphs, 168, 321, 479, 971
- Erysipeloid (Barnett et al), 116
- Erythema multiforme, herpes-associated, complement deposition in skin of patients with (Grimwood et al), 199

- Erythema multiforme—cont'd
 photosensitive recurrent (Fitzpatrick et al), 419
 nodosum and hepatitis B virus infection (Maggiore et al), 602 (Correspondence)
 reply (McElgunn), 603 (Correspondence)
 and other erythematous dermatoses (Horio et al), 77
 ultraviolet A-induced, in normal human skin, histologic changes associated with (Gilchrest et al), 213
- Erythromycin, 3%, and 5% benzoyl peroxide combination, double-blind study of effectiveness of, in treatment of acne vulgaris (Chalker et al), 933
- Etretinate in severe psoriasis (Wolska et al), 883
- Eye protection during PUVA therapy, environmental UVA radiation and (Morison and Strickland), 522

F

- Family physicians, comparison of dermatologists and; cost of initiating appropriate therapy for skin diseases (Clark and Rietschel), 787 (Special report)
- Fibrous papule: immunohistochemical study with antibody to S-100 protein (Spiegel et al), 360
- Focal dermal hypoplasia syndrome (Hall and Terezhalmay), 443
- Folliculitis, gram-negative—recognition and treatment (James and Leyden), 165 (Correspondence)

G

- Gamma benzene hexachloride, eradication of scabies with single application of (Taplin et al), 546
 trial of three treatment schedules with, for eradication of scabies (Taplin et al), 550
- Gangrenosum, pyoderma: successful treatment with intralesional steroids (Jennings), 575
- Genetic deficiency, partial, of C4 component of complement in discoid lupus erythematosus and urticaria/angioedema (Agnello et al), 894
- Genitalia, male, sclerosing lipogranuloma of, containing vitamin E: comparison with classical "paraffinoma" (Foucar et al), 103
- Giemsa stain for Tzanck smear (Spiller and Spiller), 464 (Correspondence)
 reply (Wheeland), 464 (Correspondence)
- Glyceryl monothioglycolate, irritant contact dermatitis to (Rapaport), 739
- Goeckerman regimen in two psoriasis day care centers (Menter and Cram), 59
- Graft-versus-host disease from leukocyte transfusions (Tolbert et al), 416
- Gram-negative folliculitis—recognition and treatment (James and Leyden), 165 (Correspondence)
- Granulation tissue responses, excess, retinoid therapy associated with (Campbell et al), 708
- Griseofulvin ultramicronize, trials with ketoconazole and; method for determination of drug effectiveness in onychomycosis (Zaias and Drachman), 912
- Growth and regression of molluscum contagiosum (Pierard-Franchimont et al), 669

H

- Hamartoma syndrome, multiple (Cowden's disease) (Aram and Zidenbaum), 774 (Correspondence)
- Hawaii Dermatology Seminar, Sixth Annual Meeting, Maui, Hawaii, Feb. 5-10, 1982 (Grekin et al), 295

- Healing, wound, by secondary intention (Zitelli), 407 (Clinical review)
- Hepatitis B virus infection, erythema nodosum and (Maggiore et al), 602 (Correspondence)
 reply (McElgunn), 603 (Correspondence)
- Hereditary angioedema; inherited disorders of complement (Guenther), 815
- Herpes-associated erythema multiforme, complement deposition in skin of patients with (Grimwood et al), 199
- Herpes, condom as barrier against; ancient method and modern scourge (Kish et al), 769 (Correspondence)
- "Herpetiform pemphigus"; bullous eruption of systemic lupus erythematosus (Saurat et al), 163 (Correspondence)
- Histamine-triggered localized vasculitis in patients with seropositive rheumatoid arthritis (Jorizzo et al), 845
- Human leukocyte antigen molecules, absence of, in skin tumors and some cutaneous appendages: evidence using monoclonal antibodies (Holden et al), 867
- Hybrid cyst: combined epidermoid and trichilemmal cyst (Brownstein), 872
- Hydroa vacciniforme, reproduction of, with UVA (Goldgeier et al), 279 (Correspondence)
 reply (Halasz et al), 280 (Correspondence)
- Hyperplasia of face, functional familial sebaceous, and premature sebaceous gland hyperplasia: new and unique entity? (Dupre et al), 768 (Correspondence)
 reply (De Villez and Roberts), 769 (Correspondence)
- Hyperthermic treatment of cutaneous malignancies (Draeos and Levine), 623 (Special article)
- Hypnosis, results of treatment of condylomata acuminata using (Straatmeyer and Rhodes), 434
- Hypochondriacal syndromes, monosymptomatic, in dermatology (Bishop), 152 (Clinical review)
- Hypochondriasis, monosymptomatic (Bishop), 152 (Clinical review)
- Hypoplasia syndrome, focal dermal (Hall and Terezhalmay), 443

I

- IGA deposits in skin in alcoholic liver disease (Swerdlow et al), 232
- Immune complexes, circulating, in dermatitis herpetiformis, renal involvement and (Reunala et al), 219
- Immunocompromised patients, dinitrochlorobenzene used for evaluating (Wilkerson et al), 554
- Immunofluorescent and immunohistochemical technics, new, as diagnostic tools in cutaneous pathology, use of; dermatopathology (Patterson), 585 (Dermatopathology)
- Immunohistochemical study with antibody to S-100 protein; fibrous papule (Spiegel et al), 360
 technics, new, immunofluorescent and, as diagnostic tools in cutaneous pathology (Patterson), 585 (Dermatopathology)
- Immunologic abnormalities in botryomycosis (Brunken et al), 428
- Implant, injectable collagen—update (Castrow and Krull), 889
- Implantation techniques for injectable collagen (Klein), 224
- Infantile acropustulosis (Jennings and Burrows), 733
- Infection, disseminated cytomegalovirus, histologically specific skin lesions in (Pariser), 937
 hepatitis B virus, erythema nodosum and (Maggiore et al), 602 (Correspondence)
 reply (McElgunn), 603 (Correspondence)
- Vibrio vulnificus* (Wickboldt and Sanders), 243 (Clinical review)
- Inherited disorders of complement (Guenther), 815
- Injectable collagen implant—update (Castrow and Krull), 889

- Investigative dermatology, current status of (Katz), 777 (Commentary)
- Isotretinoin, overdose of (Sutton), 600 (Correspondence)
- therapy, photosensitivity and (McCormack and Turner), 273 (Correspondence)
- treatment of acne and related disorders: update (Shalita et al), 629 (Special article)

J

- Jellyfish envenomation, studies on serologic response to (Burnett et al), 229
- Juvenile melanoma, multiple benign (Prose et al), 236

K

- Keratoacanthomas, multiple, possibly induced by psoralens and ultraviolet A photochemotherapy (Sina and Adrian), 686
- Keratosis palmoplantaris nummularis ("hereditary painful callosities") (Wachters et al), 204
- Ketoconazole and griseofulvin ultramicrosize, trials with; method for determination of drug effectiveness in onychomycosis (Zaias and Drachman), 912
- Kitamura, Kanehiko, 619 (Contemporaries)
- Koebner phenomenon in dermatitis herpetiformis (Campbell-D'Hue and Estes), 767 (Correspondence)

L

- Ladies of the Canon (McKay), 614 (Whimsy)
- Langerhans cell-deficient skin, induction of suppressor T cells to dinitrofluorobenzene contact sensitivity by application of sensitizer through; kinetics of induction of suppressor T cells (Kanagawa et al), 680
- and its role in inflammatory and neoplastic processes; dermatopathology (Patterson), 585 (Dermatopathology)
- Leiner's disease, C5 dysfunction with; inherited disorders of complement (Guenther), 815
- Leishmaniasis, recurrent cutaneous (Strick et al), 437
- Leprosy in five armadillo handlers (Lumpkin et al), 899
- Leukemia cutis, aleukemic; juvenile chronic granulocytic leukemia presenting with figurate cutaneous lesions (Heskel et al), 423
- subacute myelomonocytic—unusual skin manifestation (Eubanks and Patterson), 581
- Leukocyte antigen molecules, human, absence of, in skin tumors and some cutaneous appendages: evidence using monoclonal antibodies (Holden et al), 867
- transfusions, graft-versus-host disease from (Tolbert et al), 416
- Leukoderma, vitiligo-like, malignant melanoma and (Koh et al), 696
- Li, Hung-chiung, M.D., M.P.H., 969 (Contemporaries)
- Lichen nitidus, perforating (Banse-Kupin et al), 452
- planus, coexisting, and bullous pemphigoid or lichen planus pemphigoides? (Lang and Maize), 133
- primary biliary cirrhosis and (Powell et al), 540
- ruber pemphigoides (Ingber and Feuerman), 606 (Correspondence)
- reply (Mora et al), 606 (Correspondence)
- Lipogranuloma, sclerosing, of male genitalia containing vitamin E: comparison with classical "paraffinoma" (Foucar et al), 103
- Literature, nondermatologic, articles of interest to dermatologists selected from (Thiers), 307
- Liver disease, alcoholic, IgA deposits in skin in (Swerdlow et al), 232

- Loctite and Sta-Lok, allergic dermatitis to (Mobacken), 165 (Correspondence)
- Lupus erythematosus, discoid, and urticaria/angioedema, partial genetic deficiency of C4 component of complement in (Agnello et al), 894
- inherited disorders of complement (Guenther), 815
- systemic, bullous eruption of: "herpetiform pemphigus" (Saurat et al), 163 (Correspondence)
- verrucous: ultrastructural studies on distinct variant of chronic discoid lupus erythematosus (Santa Cruz et al), 82
- vesiculobullous systemic (Camisa and Sharma), 924
- syndrome, neonatal, in successive pregnancies (Lee et al), 401
- Lymphatic albumin clearance from psoriatic skin (Staberg et al), 857
- Lymphoma, histiocytic, occurring in patient with dermatitis herpetiformis (Jenkins et al), 252
- T cell, of skin, pathogenesis of (Edelson), 957 (Editorial)
- Lymphomatoid papulosis terminating as cutaneous T cell lymphoma (mycosis fungoides) (Madison et al), 743

M

- MacKee, George Miller (1878-1955): a memoir (Pascher), 168 (Epitaph)
- Malignancy(ies), cutaneous, hyperthermic treatment of (Draeos and Levine), 623 (Special article)
- PUVA and (Halprin), 770 (Correspondence)
- reply (MacKie and Fitzsimons), 771 (Correspondence)
- Manpower, dermatologic, and patient availability (Richards), 167 (Correspondence)
- Melanin pigmentation, photobiology of; dose/response of skin to sunlight and its contents (Pathak and Fanselow), 724
- Melanocytes, large, sometimes cytologically atypical, lentiginous proliferation of; PUVA-induced pigmented macule (Rhodes et al), 47
- Melanocytic nevi, dysplastic, in histologic association with 234 primary cutaneous melanomas (Rhodes et al), 563
- Melanoma(s), malignant, in situ in two patients treated with psoralens and ultraviolet A (Marx et al), 904
- stage I, prognostic factors in (Patterson), 585 (Dermatopathology)
- and vitiligo-like leukoderma: electron microscopic study (Koh et al), 696
- metastatic, vitiligo in patients with; good prognostic sign (Nordlund et al), 689
- multiple benign juvenile (Prose et al), 236
- primary cutaneous, 234, dysplastic melanocytic nevi in histologic association with (Rhodes et al), 563
- Melanosis, Becker's: associated abnormalities (Glinick et al), 509
- Menkes' syndrome: updated review (Hart), 145 (Clinical review)
- Metabolic disposition, percutaneous penetration and, of benzoyl peroxide (Yeung et al), 920
- Metallothionein, copper and, metabolism of, in Menkes' syndrome (Hart), 145 (Clinical review)
- Methotrexate or PUVA singly or in combination, risk of carcinogenicity in patients with psoriasis treated with (MacKie and Fitzsimons), 467 (Editorial)
- Methoxsalen-induced ultraviolet A, PABA ester-oxybenzone preparation for protection of skin from (Jarratt et al), 354
- Minigrafting, autologous, repigmentation of segmental vitiligo by (Falabella), 514
- Mohs, Frederic E, M.D., 806 (Contemporaries)
- Molluscum contagiosum, growth and regression of (Pierard-Franchimont et al), 669

- Monitors, reusable ultraviolet; design, characteristics, and efficacy (Fanselow et al), 714
- Monoclonal antibodies, evidence using; absence of human leukocyte antigen molecules in skin tumors and some cutaneous appendages (Holden et al), 867
- Monothiolglycolate, glyceryl, irritant contact dermatitis to (Rapaport), 739
- Mucormycosis following bone marrow transplantation (Myskowski et al), 111
- Mycosis fungoides (cutaneous T cell lymphoma), lymphomatoid papulosis terminating as (Madison et al), 743
- necrotizing vasculitis within cutaneous lesions of (Granstein et al), 128
- and related disorders, topical carmustine (BCNU) for (Zackheim et al), 363
- Myelomonocytic leukemia, subacute—unusual skin manifestation (Eubanks and Patterson), 581
- Myeloproliferative disorders, neutrophilic dermatosis of (Caughman et al), 751

N

- Necrotizing vasculitis within cutaneous lesions of mycosis fungoides (Granstein et al), 128
- Neisseria* bacteremia, recurrent, deficiencies of terminal components with; inherited disorders of complement (Guenther), 815
- Neonatal lupus syndrome in successive pregnancies (Lee et al), 401
- Neutrophilic dermatosis of myeloproliferative disorders (Caughman et al), 751
- Nevus(i), congenital nevocellular, patterns of (Stenn et al), 388
- subungual (Coskey et al), 747
- dysplastic melanocytic, in histologic association with 234 primary cutaneous melanomas (Rhodes et al), 563
- Nitrogen mustard, skin cancer in psoriatics treated with (Ganor), 164 (Correspondence)
- reply (Halprin et al), 164 (Correspondence)
- Nodular late syphilis (Matsuda-John et al), 269

O

- Occupational dermatoses in South Carolina: descriptive analysis of cost variables (Shmunes and Keil), 861
- Oncology and dermatology, experimental and clinical, development of retinoids in (Bollag), 797 (Special article)
- Onychomycosis, method for determination of drug effectiveness in (Zaia and Drachman), 912
- Oral PABA and vitiligo (Hughes), 770 (Correspondence)
- Organization of departments and divisions of dermatology in time of change (Stead), 785 (Editorial)
- Overdose of isotretinoin (Sutton), 600 (Correspondence)

P

- PABA ester—oxybenzone preparation for protection against long-wave ultraviolet A (Jarratt et al), 354
- oral, and vitiligo (Hughes), 770 (Correspondence)
- Papulosis, lymphomatoid, terminating as cutaneous T cell lymphoma (mycosis fungoides) (Madison et al), 743
- "Paraffinoma," classical, sclerosing lipogranuloma of male genitalia containing vitamin E; comparison with (Foucar et al), 103
- Parasitosis, delusions of; monosymptomatic hypochondriasis (Bishop), 152 (Clinical review)
- treatment of delusions of (Frankel), 772 (Correspondence)
- replies (Lyell; Duke), 773 (Correspondence)

- Pathogenesis of psoriasis (Potter), 275 (Correspondence)
- Pemphigoides, lichen ruber (Ingber and Feuerman), 606 (Correspondence)
- reply (Mora et al), 606 (Correspondence)
- Pemphigus, corticosteroids and death in (Savin), 275 (Correspondence)
- reply (Ahmed), 275 (Correspondence)
- Peroxide, benzoyl: percutaneous penetration and metabolic disposition; effect of concentration (Yeung et al), 920
- Phenol peels and toxic shock syndrome (Dmytryshyn), 163 (Correspondence)
- Philodendron vine as cause of plant dermatitis (Ayres), 962 (Correspondence)
- Photobiology of melanin pigmentation: dose/response of skin to sunlight and its contents (Pathak and Fanselow), 724
- Photocarcinogenesis, skin cancer, and aging (Epstein), 487
- Photochemotherapy, psoralens and ultraviolet A, multiple keratoacanthomas possibly induced by (Sina and Adrian), 686
- Photodermatitis, quinidine-induced, confirmed by photopatch testing (Lang), 124
- Photopatch testing, quinidine-induced photodermatitis confirmed by (Lang), 124
- Photosensitive recurrent erythema multiforme (Fitzpatrick et al), 419
- Photosensitivity and isotretinoin therapy (McCormack and Turner), 273 (Correspondence)
- Phototoxicity, methoxsalen-induced ultraviolet A, topical protection against (Jarratt et al), 354
- Pigmentation, melanin, photobiology of; dose/response of skin to sunlight and its contents (Pathak and Fanselow), 724
- Plant dermatitis (Stoner and Rasmussen), 1
- philodendron vine as cause of (Ayres), 962 (Correspondence)
- Plastic surgery, dermatologic, advent of (Field), 596 (Editorial)
- "Poison, chicken, disease"; dermatoses among poultry workers (Marks et al), 852
- Potassium iodide in erythema nodosum and other erythematous dermatoses (Horio et al), 77
- Poultry workers, dermatoses among: "chicken poison disease" (Marks et al), 852
- Pregnancy(ies), dermatoses of (Noguera), 961 (Correspondence)
- reply (Holmes and Black), 961 (Correspondence)
- recognition of acrodermatitis enteropathica during recurrence in (Bronson et al), 140
- successive, neonatal lupus syndrome in (Lee et al), 401
- Protein, S-100, antibody to, immunohistochemical study with; fibrous papule (Spiegel et al), 360
- Pruritus ani and *Staphylococcus aureus* (Baral), 962 (Correspondence)
- reply (Leyden), 962 (Correspondence)
- and systemic disease, generalized (Kantor and Lookingbill), 375
- Psoralens and ultraviolet A and cutaneous malignancy (Halprin), 770 (Correspondence)
- reply (MacKie and Fitzsimons), 771 (Correspondence)
- induced pigmented macule: lentiginous proliferation of large, sometimes cytologically atypical, melanocytes (Rhodes et al), 47
- malignant melanoma in situ in two patients treated with (Marx et al), 904
- methotrexate or, singly or in combination, risk of carcinogenicity in patients with psoriasis treated with (MacKie and Fitzsimons), 467 (Editorial)

- Psoralens and ultraviolet A—cont'd
 photochemotherapy, multiple keratoacanthomas possibly induced by (Sina and Adrian), 686
 therapy, environmental UVA radiation and eye protection during (Morison and Strickland), 522
 occurrence of vitiligo after (Todes-Taylor et al), 526
 for psoriasis, usefulness of reflectance spectrophotometric measurements during (Ryatt et al), 558
- Psoriasis, anthralin in treatment of (Ashton et al), 173
 day care centers, two, Goeckerman regimen in (Menter and Cram), 59
 onset of, at age 108 (Buntin et al), 276 (Correspondence)
 pathogenesis of (Potter), 275 (Correspondence)
 quinidine-induced (Harwell), 278 (Correspondence)
 risk of carcinogenicity in patient with, treated with methotrexate or PUVA singly or in combination (MacKie and Fitzsimons), 467 (Editorial)
 severe, etretinate in (Wolska et al) 883
 usefulness of reflectance spectrophotometric measurements during psoralens and ultraviolet A therapy for (Ryatt et al), 558
- Psoriatic(s) skin, lymphatic albumin clearance from (Staberg et al), 857
 treated with nitrogen mustard, skin cancer in (Ganor), 164 (Correspondence)
 reply (Halprin et al), 164 (Correspondence)
- Psychiatric reaction to dapsone and sulfapyridine (Fine et al), 274 (Correspondence)
- Psychiatry-dermatology liaison clinic (Gould and Gragg), 73
- Pustular vasculitis; emerging disease concept (Jorizzo), 160 (Editorial)
 (Miyachi), 774 (Correspondence)
 reply (Jorizzo), 774 (Correspondence)
- Pyoderma coexistent with scabies, treatment of (Taplin et al), 546
 gangrenous: successful treatment with intralesional steroids (Jennings), 575
- Pyogenic infections, C3 and C3 inactivator deficiencies with, inherited disorders of complement (Guenther), 815

Q

- Quinidine-induced photodermatitis confirmed by photopatch testing (Lang), 124
 psoriasis (Harwell), 278 (Correspondence)

R

- Radiation, environmental UVA, and eye protection during PUVA therapy (Morison and Strickland), 522
- Rashes, non-, invisible dermatoses versus (Bernhard), 599 (Correspondence)
 reply (Brownstein), 599
- Reflectance spectrophotometric measurements, usefulness of, during psoralens and ultraviolet A therapy for psoriasis (Ryatt et al), 558
- Regression, growth and, of molluscum contagiosum (Pierard-Franchimont et al), 669
- Renal involvement and circulating immune complexes in dermatitis herpetiformis (Reunala et al), 219
- Repigmentation of segmental vitiligo by autologous minigrafting (Falabella), 514
- 13-*cis*-Retinoic acid therapy, depression, side effect of (Hazen et al), 278 (Correspondence)
- Retinoid(s) in experimental and clinical oncology and dermatology, development of (Bollag), 797 (Special article)

Retinoid(s)—cont'd

- therapy associated with excess granulation tissue responses (Campbell et al), 708
 of recessive dystrophic epidermolysis bullosa (Fritsch et al), 766 (Correspondence)
 reply (Bauer), 766 (Correspondence)
- Rheumatoid arthritis, seropositive, histamine-triggered localized vasculitis in patients with (Jorizzo et al), 845

S

- Sarcoidosis, thymopoietin pentapeptide treatment of (Thivolet and Faure), 773 (Correspondence)
- Sarcoptes scabiei* egg, scanning electron microscopy of scabies burrow and contents, with special reference to (Shelley and Shelley), 673
- Saunders, Sir James, Society (Smith), 613 (Whimsy)
- Scabies burrow and contents, scanning electron microscopy of, with special reference to *Sarcoptes scabiei* egg (Shelley and Shelley), 673
 comparative trial of three treatment schedules for eradication of (Taplin et al), 550
 eradication of, with single treatment schedule (Taplin et al), 546
 experimental canine, in humans (Estes et al), 397
- Scanning electron microscopy of scabies burrow and contents, with special reference to *Sarcoptes scabiei* egg (Shelley and Shelley), 673
- Sebaceous hyperplasia of face, functional familial, and premature sebaceous gland hyperplasia: new and unique entity? (Dupre et al), 768 (Correspondence)
 reply (De Villez and Roberts), 769 (Correspondence)
- Sexually transmitted diseases, therapy guidelines for (Fiumara), 600 (Correspondence)
 reply (Cates et al), 601 (Correspondence)
- Sézary syndrome, Stanford study of (Rich et al), 279 (Correspondence)
- Sir James Saunders Society (Smith), 613 (Whimsy)
- Skin cancer, photocarcinogenesis, and aging (Epstein), 487
 in psoriatics treated with nitrogen mustard (Ganor), 164 (Correspondence)
 reply (Halprin et al), 164 (Correspondence)
- diseases, cost of initiating appropriate therapy for; comparison of dermatologists and family physicians (Clark and Riet-schel), 787 (Special report)
- lesions, histologically specific, in disseminated cytomegalovirus infection (Pariser), 937
- manifestation, unusual; subacute myelomonocytic leukemia (Eubanks and Fatterson), 581
- pathogenesis of T cell lymphoma of (Edelson), 957 (Editorial)
- related foundations and associations (Person), 603 (Correspondence)
 reply (Editor), 604 (Correspondence)
- Sneddon-Wilkinson disease (subcorneal pustular dermatosis) after diagnostic echogram (Ingber et al), 393
- South Carolina, occupational dermatoses in; descriptive analysis of cost variables (Shmunis and Keil), 861
- Spanish toxic oil syndrome, cutaneous lesions of (Iglesias and De Moragas), 159 (Editorial)
- Spectrophotometric measurements, reflectance, usefulness of, during psoralens and ultraviolet A therapy for psoriasis (Ryatt et al), 558
- Sta-Lok and Loctite, allergic dermatitis to (Mobacken), 165 (Correspondence)

- Stanford study of Sézary syndrome (Rich et al), 279 (Correspondence)
- Staphylococcus aureus*, emergence of dermopathic strains of; and discovery of epidermolytic toxin, staphylococcal scalded skin syndrome in historical perspective (Lyell), 285 (Special report)
- pruritus ani and (Baral) 962 (Correspondence)
reply (Leyden), 962 (Correspondence)
- Steroids, intralesional, successful treatment of pyoderma gangrenosum with (Jennings), 575
- Stokes, John Hinchman, M.D. (Beerman), 321 (Epitaph)
- Sulfapyridine and dapsone, psychiatric reaction to (Fine et al), 274 (Correspondence)
- Sulzberger, Marion (Vickers), 166 (Correspondence)
- Sunlight and its contents, dose/response of skin to; photobiology of melanin pigmentation (Pathak and Fanselow), 724
- Surgery, cutaneous, complications of (Biro et al), 601 (Correspondence)
replies (Graham; Elton), 602 (Correspondence)
dermatologic plastic, advent of (Field), 596 (Editorial)
- Surgical antiseptics (Sebber), 759 (Dermatologic surgery)
- Syphilis, nodular late (Matsuda-John et al), 269

T

- T cell(s) lymphoma, cutaneous (mycosis fungoides), lymphomatoid papulosis terminating as (Madison et al), 743
of skin, pathogenesis of (Edelson), 957 (Editorial)
suppressor, induction of, to dinitrofluorobenzene contact sensitivity by application of sensitizer through Langerhans cell-deficient skin; kinetics of induction of suppressor T cells (Kanagawa et al), 680
- Therapy, dermatologic: December, 1981, through November, 1982 (Coskey), 21
guidelines for sexually transmitted diseases (Fiumara), 600 (Correspondence)
reply (Gates et al), 601 (Correspondence)
- retinoid, associated with excess granulation tissue responses (Campbell et al), 708
- Thymopoietin pentapeptide treatment of sarcoidosis (Thivolet and Faure), 773 (Correspondence)
- Tinea versicolor, age of patients with (Cullen), 464 (Correspondence)
reply (Bamford), 465 (Correspondence)
topical benzoyl peroxide for treatment of (Prestia), 277 (Correspondence)
- Toxic oil syndrome, Spanish, cutaneous lesions of (Iglesias and De Moragas), 159 (Editorial)
- shock syndrome, phenol peels and (Dmytryshyn), 163 (Correspondence)
- Training, dermatologic, for nondermatologists (Branch and Wintroub), 281 (Editorial)
- Transfusions, leukocyte, graft-versus-host disease from (Tolbert et al), 416
- Trichilemmal cyst, combined epidermoid and; hybrid cyst (Brownstein), 872
- Tromantadine, allergic contact dermatitis to (Przybilla), 165 (Correspondence)
- Tumors, cutaneous, histogenesis of, based on dual functional capacities of cells; dermatopathology (Patterson), 585
skin, and some cutaneous appendages, absence of human leukocyte antigen molecules in; evidence using monoclonal antibodies (Holden et al), 867
- Tyrosinemia II, successful dietary control of (Machino et al), 533

- Tzanck smear, Giemsa stain for (Spiller and Spiller), 464 (Correspondence)
reply (Wheeland), 464 (Correspondence)

U

- Ulcers, severe, chronic skin, in Puerto Rican woman, culture of *Vibrio extorquens* in (Lambert et al), 262
- Ultrastructural studies of xeroderma pigmentosum (Plotnick and Lupulescu), 876
- Ultraviolet A-induced erythema in normal skin, histologic changes associated with (Gilchrest et al), 213
long-wave, topical protection against (Jarratt et al), 354
photochemotherapy, psoralens and, multiple keratoacanthomas possibly induced by (Sina and Adrian), 686
psoralens-induced pigmented macule: lentiginous proliferation of large, sometimes cytologically atypical, melanocytes (Rhodes et al), 47
and psoralens, malignant melanoma in situ in two patients treated with (Marx et al), 904
radiation, environmental, and eye protection during PUVA therapy (Morison and Strickland), 522
reproduction of hydroa vacciniforme with (Goldgeier et al), 279 (Correspondence)
reply (Halasz et al), 280 (Correspondence)
therapy, psoralens and, occurrence of vitiligo after (Todes-Taylor et al), 526
for psoriasis, usefulness of reflectance spectrophotometric measurements during (Ryatt et al), 558
monitors, reusable: design, characteristics, and efficacy (Fanselow et al), 714
- Urticaria/angioedema, partial genetic deficiency of C4 component of complement in discoid lupus erythematosus and (Ag-nello et al), 894

V

- Vasculitis, histamine-triggered localized, in patients with seropositive rheumatoid arthritis (Jorizzo et al), 845
necrotizing, within cutaneous lesions of mycosis fungoides (Granstein et al), 128
pustular; emerging disease concept (Jorizzo), 160 (Editorial)
(Miyachi), 774 (Correspondence)
reply (Jorizzo), 774 (Correspondence)
- Verrucae, recalcitrant, dinitrochlorobenzene used in treatment of (Wilkerson et al), 554
- Verrucous lupus erythematosus: ultrastructural studies on distinct variant of chronic discoid lupus erythematosus (Santa Cruz et al), 82
- Vesiculobullous systemic lupus erythematosus (Camisa and Sharma), 924
- Vibrio extorquens*, culture of, from severe, chronic skin ulcers in a Puerto Rican woman (Lambert et al), 262
vulnificus infection (Wickboldt and Sanders), 243 (Clinical review)
- Virus infection, hepatitis B, erythema nodosum and (Maggiore et al), 602 (Correspondence)
reply (McElgunn), 603 (Correspondence)
- Vitamin E, sclerosing lipogranuloma of male genitalia containing; comparison with classical "paraffinoma" (Foucar et al), 103
- Vitiligo-like leukoderma, malignant melanoma and; electron microscopic study (Koh et al), 696
occurrence of, after psoralens and ultraviolet A therapy (Todes-Taylor et al), 526

Vitiligo—cont'd

- oral PABA and (Hughes), 770 (Correspondence)
- in patients with metastatic melanoma: good prognostic sign (Nordlund et al), 689
- segmental, repigmentation of, by autologous minigrafting (Falabella), 514

W

- Warts, recalcitrant, bleomycin in treatment of (Shumer and O'Keefe), 91
- Weidman, Frederick Deforest, M.D. (Beerman), 479 (Epitaph)
- Westwood Carolina Conference on Clinical Dermatology, Fifth Annual Conference, Hilton Head, SC, Oct. 14-17, 1982 (Thiers), 470

Westwood—cont'd

- Conference on Clinical Dermatology, Seventh Annual Conference, Toronto, Ontario, Canada, July 29-Aug. 1, 1982 (Thiers), 608

Whimsy, 613

Willan, Robert, remembered (Sharma), 971 (Epitaph)

Wound healing by secondary intention (Zitelli), 407 (Clinical review)

X

- Xeroderma pigmentosum, ultrastructural studies of (Plotnick and Lupulescu), 876

